

2024

GREEN AUDIT REPORT  
OF  
J.K.K. MUNIRAJAH COLLEGE OF  
TECHNOLOGY, ERODE



**JKKM COLLEGE OF TECHNOLOGY**

An **AUTONOMOUS** Institution

Accredited by **NAAC** with "**A**" Grade

T.N Palayam, Gobichettipalayam, Erode - 638 506



Green Audit done by

Sri Energy Solutions

08.04.2024

Principal

J.K.K. Munirajah College of Technology  
(Autonomous)

T.N. Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

**Project Report Title** : **Green Audit**

**Client Name** : **J.K.K. Munirajah College of Technology**

**Plant Location** : **T.N. Palayam Post,  
Gobi Taluk,  
Erode District – 638 506**

**Date of Audit** : **08.04.2024**

**Energy Audit by** : **M/s. Sri Energy Solutions, Dindigul**

**Energy Audit Team** : **1. M.Rameshkumar., B.E, M.B.A, PGDEEM&EA,  
BEE Certified Energy Auditor**

**2. C.Sekar.,B.Tech**


**Trainee Engineer – Energy Audit**

## Acknowledgement

Sri Energy Solutions acknowledge with hearty thanks to **Mrs.Vasanthakumari Munirajhh.M, Chairman, Mrs.Kasthuripriya, Secretary and Mr.Kirubhakar Murali.M, Research Director, J.K.K. Munirajah college of Technology, Erode** for them support for carrying out this audit.

Our special thanks to **Dr.K.Sridharan – Principal, Mrs.V.Mohanapriya – HOD (Civil), Mr.S.M.Pranesh – AP (EEE), Mr.P.Eswaran – AP (Auto) and Mr.M.Senthilkumar – AP(MCA)** for their co-operation and support us to carry out the Green audit on time.

In addition with this, we are grateful to your staffs **Mr.K.Suresh and Mr.M.Kandhasamy** for their co-operation and support us to carry out the Green audit very effectively.

  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## Index

Sl.No	Particulars	Page No
1.	Introduction .....	6
2.	Objective .....	7
3.	Methodology.....	8
4.	About the college.....	9
5.	Water Quality assessment, Consumption and Management .....	10
6.	Air Quality assessment, Consumption and Management.....	18
7.	Energy consumption Analysis... ..	19
8.	Lighting and Fan power Consumption Analysis.....	20
9.	AC Power Consumption Analysis.....	21
10.	Main Incoming Trends.....	22
11.	Points for Improvement.....	26
12.	Sound Pollution Monitoring .....	27
13.	Waste Management .....	28
14.	Green Campus .....	30
15.	Carbon Foot Print .....	31
16.	Major Audit Observation.....	33
17.	Water Audit Findings .....	34
18.	Energy Audit Findings .....	34
19.	Waste Audit Findings .....	35
20.	Green Audit Findings .....	35
21.	Carbon Foot Print Audit Findings .....	35

22.	Preparation of Action Plan .....	36
23.	Follow up Actions and Plan .....	36
24.	Environmental Education .....	37
25.	Awareness of Carbon Generation .....	37
26.	Conclusion and Full list of recommendation .....	38
27.	Common Recommendations .....	39
28.	Criteria wise Recommendation .....	39
29.	Audit Report .....	42
30.	Annexure – A .....	43
31.	Annexure – B .....	44
32.	Annexure – C .....	45
33.	Future Support.....	46



**Principal**


**J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**

## 1. Introduction

**J.K.K. Munirajah College of Technology** is one of the leading higher education institutions under Anna university, chennai. This college was established by **Dr.J.K.K. Munirajah** in the year of 2008.

This college is located at T.N. palayam, Gobi, Erode. This college is having lot of courses in Engineering sector with complete equipped. It has been providing quality education to the rural and semi-urban students of Erode and Tiruppur district. This institution has four TNEB services and two backup generators. High quality panels and switch gears are connected with this service for giving quality supply to the equipment. The capacity of generator is also well enough to meet the demand.

This college is located is well away from main road which leads to dust free environment. More over college is concentrating much on green garden with enough trees and plants. The water supplied inside the campus is good. On the next step, the management decided to conduct the green audit in their institution to provide effective environment.

  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## 2. Objectives

The main objectives of the green audit are to promote the environment management and conservation in the college campus. The purpose of the audit is to identify, quantify, describe and priorities framework environment sustainability in compliance with the applicable regulations, policies and standards. The main objectives of carrying out Green Audit are,

- To introduce and make aware students to real concerns of environment and its sustainability.
- To secure the environment and cut down the threats posed to human health by analyzing the pattern and the extent of resource use on the campus
- To establish a baseline data to assess future sustainability by avoiding the interruptions in environment that are more difficult to handle and their corrections requires high cost
- To bring out a present status report on environmental compliance



**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

### 3. Methodology

In order to perform green audit, the methodology included different techniques such as physical inspection of the campuses, observation and review of the documentation, interviewing key persons, and data analysis, measurements and recommendations. The study covered the following area to summarize the present status of environment management in the campuses:

- Water quality assessment, consumption and management
- Air quality assessment and management
- Electricity consumption and management
- Sound pollution monitoring
- Waste management
- Biodiversity status of the campus

#### **4. About the College**

##### **Institutional Vision**

To create and mold students as engineer with adequate core interdisciplinary knowledge and skills for the welfare of mankind through quality education to the students with value added education and ethical values

##### **Institutional Mission**

- To mold our students in the attainment of professional competence for coping with the rapid and challenging advancements in technologies and the ever-changing world of business, industry and services
- To help and guide our students in their personal growth, Shaping them into mature and responsible individuals
- Providing rigorous academic knowledge to the students through high quality education, training models and research activities
- Providing platform to the students for holistic development with participation in co-curricular and extra-curricular activities

## 5. Water Quality Assessment, Consumption and Management

Water quality analysis was conducted by Eutech PCS multi-parameter tester 35, uc turbidity meter 135 and Lutron DO-5509 meter.

### BoreWell Water No.1

Parameter	Value
PH	8.0
P.Aikalinity	Nil
M.Aikalinity	470 ppm
H.Aikalinity	Nil
Total Alkalinity	470 ppm
Total Hardness	650 ppm
Total Dissolved solids	910 ppm

### Borewell Water No.2

Parameter	Value
PH	8
P.Aikalinity	Nil
M.Aikalinity	430 ppm
H.Aikalinity	Nil
Total Alkalinity	430 ppm
Total Hardness	690 ppm
Total Dissolved solids	875 ppm

**Borewell Water No.3**

Parameter	Value
PH	8
P.Alkalinity	Nil
M.Alkalinity	540 ppm
H.Alkalinity	Nil
Total Alkalinity	540 ppm
Total Hardness	710 ppm
Total Dissolved solids	930 ppm

**RO Water**

Parameter	Value
PH	7.1
P.Alkalinity	Nil
M.Alkalinity	30 ppm
H.Alkalinity	Nil
Total Alkalinity	30 ppm
Total Hardness	17 ppm
Total Dissolved solids	37 ppm

**RO Reject Water**

Parameter	Value
PH	8
P.Alkalinity	Nil
M.Alkalinity	610 ppm
H.Alkalinity	Nil
Total Alkalinity	610 ppm
Total Hardness	880 ppm
Total Dissolved solids	1240 ppm

**Water Doctor No.1**

Parameter	Value
PH	7.1
P.Alkalinity	Nil
M.Alkalinity	27ppm
H.Alkalinity	Nil
Total Alkalinity	27 ppm
Total Hardness	32 ppm
Total Dissolved solids	60 ppm

**Water Doctor No.2**

Parameter	Value
PH	7.1
P.Alkalinity	Nil
M.Alkalinity	35 ppm
H.Alkalinity	Nil
Total Alkalinity	35 ppm
Total Hardness	50 ppm
Total Dissolved solids	80 ppm

**Kitchen Water**

Parameter	Value
PH	7.1
P.Alkalinity	Nil
M.Alkalinity	40 ppm
H.Alkalinity	Nil
Total Alkalinity	40 ppm
Total Hardness	46 ppm
Total Dissolved solids	70 ppm



**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

### Boys Hostel Water

Parameter	Value
PH	7.5
P.Alkalinity	Nil
M.Alkalinity	460 ppm
H.Alkalinity	Nil
Total Alkalinity	460 ppm
Total Hardness	670 ppm
Total Dissolved solids	980 ppm

### Girls Hostel Water

Parameter	Value
PH	7.6
P.Alkalinity	Nil
M.Alkalinity	440 ppm
H.Alkalinity	Nil
Total Alkalinity	440 ppm
Total Hardness	690 ppm
Total Dissolved solids	970 ppm

Sample No	Location	MPN Index (per 100ml)	Water Quality
1	Class Room - GF	00	Outstanding (Potable)
2	Class Room - FF	00	Outstanding (Potable)
3	Class Room - SF	00	Outstanding (Potable)
4	Class Room - TF	00	Outstanding (Potable)
5	Staffs Room	00	Outstanding (Potable)
6	Canteen	00	Outstanding (Potable)
7	Tap Water	14	Good (Non-potable)
8	Bore water	62	Average (Non-potable)

❖ Main water uses in the campus

- Drinking
- Canteen
- Toilet
- Garden
- Lab
- Cleaning
- Bathrooms
- Washing
- Construction works
- Bus maintenance

❖ There are water treatment system to purify the water

❖ Water cooler with drinking water filtration is installed



**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

- ❖ Number of urinals and toilet – 75 Nos
- ❖ Number of waterless urinals - Nil
- ❖ Number of Bathroom – 220 Nos
- ❖ Number of Toilets – 220 Nos
- ❖ Number of water taps - 811 Nos
- ❖ Number of borewell - ..... 3 Nos
- ❖ Number of Open well - ..... 2 Nos
- ❖ Water pumps .... 5 Nos
- ❖ Quantity of water pumped - .... 160 KL including agriculture purpose
- ❖ Water charges paid – No water charges (No municipal water supply, using water from own well)
- ❖ Number of water tanks for storage – 10 Nos
- ❖ Amount of water stored – 1,42,000 Liters
- ❖ No meters fixed for water management
- ❖ Number of leaky water taps – 4 Nos
- ❖ There are signs reminding people to turn off the water
- ❖ Number of water fountain – 2 Nos
- ❖ Time of watering plants – 9AM to 5 PM
- ❖ Reasons for water wastage
  - Leakage from water taps
  - Over use of water
  - Overflow of water from motors
  - Unorganized watering of garden

❖ Overall utilization of water in the college

Sections	Water use / day in KL
Garden	88 KL
College	13 KL
Hostel	34.6 KL
Bus wash	0.36 KL
Canteen	7 KL

<b>Water Audit at J.K.K. College of Technology, Erode</b>					
	Water use per activity (litres)	Number of activity	Average water use/ person / day (litres)	Number of persons using this activity	Total water
Hand wash	2L	Twice	3L	719	2157
Bath	20-40	once	30L	20	600
Toilet flush	6 - 20	once	10L	270	2700
Drinking (cup)	0.25	twice	0.5L	719	359.5
Washing dishes	10	once	10L	719	7190
Leaking/dripping tap (1 drop/ seconds / day)	10-30	continuous	240L	4	960
garden use		once			88000
Canteen	All uses	once			7000
Cooking (average)		once			6500
Hostel uses	All uses	Twice	100	211	21100
Vehicle wash	All uses	once	30 L	12	360
<b>Total Water Use</b>					<b>1,36,927</b>

## 6. Air Quality Assessment, Consumption and Management

The following air quality parameters were measured using Airveda and government's official sites.

Parameter	Minimum Value	Maximum Value
PM 2.5	13	19
PM 10	16	24
O <sub>3</sub>	17	43
NO <sub>2</sub>	11	24
CO	125	290
Temp	24	33
Pressure	817	845
Humidity	44	65
Wind Speed	5	14

Present air pollution level is in the range of good due to less population and lighter transport. Lot of efforts is taking up to reduce the air pollutions. J.K.K. Munirajah college of technology developed good green belt. Still, it needs to be improved.




**Principal**  
**J.K.K. Munirajah College of Technology**  
**(Autonomous)**  
**T.N. Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## 7. Energy Consumption Analysis

Load Type	Load Details in KW
Lighting and Fan	91.62
Pumps	21
Air Conditioner	32.7
Computer & Accessories	26.4
Others	73.5
<b>Total</b>	<b>245.22</b>

Electrical Load Details in KW and Percentage




*[Handwritten Signature]*

**Principal**

**J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**


## 8. Lighting and Fan Power Consumption Analysis

Particulars	Actual KW	Energy Saving Potential in KW
College	44.77	19.3
Boys Hostel	30.74	13.7
Mess	4.695	2.42
Lab	4.345	1.88
Kitchen	0.9	0.34
Girls Hostel	8.74	0




### 9. AC Power Consumption Analysis

AC Location	Actual Consumption in KW	Proposed Consumption in KW	Energy saving Potential in KW
Seminar Hall	15	12.75	2.25
Principal Room	1.5	1.275	0.225
Chairman Room	1.5	1.275	0.225
Computer Lab - GF	6	5.1	0.9
Communication Lab	3	2.55	0.45
Board Room	2.4	2.04	0.36
Placement Cell	1.2	1.02	0.18
Cad Lab	1	0.85	0.15
DSP Lab	1	0.85	0.15
Computer Lab 3	1.2	1.02	0.18
Computer Lab 4	2.4	2.04	0.36
JKKM FM Radio	4	3.4	0.6
Total		22.312	3.948




## 10. Main Incoming Trends


### Voltage Trend




### Current Trend




**Power Trend**




**Power Factor Trend**




### Voltage Harmonics Trend



### Current Harmonics Trend



### Active Energy Consumption




### Key Points

- Average energy consumption is 25 KWH per hour in day time
- Both voltage harmonics and current harmonics are on higher side requires harmonics mitigation equipments at all UPS and Lighting Circuits
- Isolated earthing is needed for all UPS
- Some of the tube lights are conventional 40W bulbs and the same should be replaced with 20W LED tube light which gives same illumination. This saves 50% of energy bill.
- Fans which are used also conventional type 75W fans and the same should be replaced with 35W BLDC Fan which saves 53% energy bill.
- Power factor is in mid-range. But still, we can improve by the balancing the load in all phases up to the maximum extend and providing load side capacitors to the pumps.

## 11. Points for Improvement

- Provide double earth to all the motors and panel boards as a safety measures.
- Provide MPD in all pumping application which is will protect your pumps from dry run.
- Provide automatic lighting on-off and trim control in all Street light and Varandha lighting circuits. Occupancy sensors function by switching the lights ON and OFF based on the occupancy of the room and are a smart way to save energy in commercial organizations.



- Use 5 star rated AC's in next replacement period will yield energy saving in AC's Energy consumption

Star Level	Energy Efficiency Ratio (From 01-01-2014 to 31-12-2015)	
	Minimum	Maximum
1 Star*	2.70	2.89
2 Stars**	2.90	3.09
3 Stars***	3.10	3.29
4 Stars****	3.30	3.49
5 Stars*****	3.50	

### Energy and Cost Savings for 1.5 Ton Window or Split Air Conditioner at Different Star Ratings (under standard test conditions and as per latest BEE regulations)

Star Rating	Minimum Energy Star (Approx.) Efficiency Ratio (EER)	Maximum Cooling Capacity (Watts)	Input Power (Watts)	Units Consumption/ Day (kWh)	Electricity Cost/Day	Electricity Cost/Month (Rs)	Savings per Month (w.r.t. 1 star) (Rs)
1*	2.7	5,200	1,926	15.4	108	3,234	0
2**	2.9	5,200	1,793	14.34	100	3,011	223
3***	3.1	5,200	1,677	13.42	93.94	2,818	416
4****	3.3	5,200	1,575	12.6	88	2,652	582
5*****	3.5	5,200	1,486	11.89	83	2,497	737

## 12. Sound Pollution Monitoring

Sound pollution is another important parameter that is taken into account for green auditing of the college campus. Sound is quantified by the Sound level meter (Lutron – SL4030)

Location	Average Sound Level (db)
Ground Floor	62
First Floor	53
Second Floor	56
Third Floor	57
Canteen	64
Main Gate	53
Hostel	51
Workshop	57
Power House	57
Library	49
Office	53
Principal Room	53
Conference Room	46
Reception	53
Play ground	64



**Principal**


**J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**

### **13. Waste Management**

- This indicator addresses waste production and disposal of different wastes like food, Paper, Plastic, glass, dust etc. Furthermore, solid waste often includes wasted material resources that could otherwise be channeled into better service through recycling, repair and reuse. For proper segregation and management, proper use of waste bins is the only solutions for waste management purpose in the college campus.



In J.K.K. Munirajah college of Technology, there is a practice of collecting the waste with colour coded bins. Each floor contains two or more sets of colour bins for proper waste management.

  
**Principal**  
J.K.K.Munirajah College of Technology,  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

Location	Number of Waste bins
College – Ground Floor	6 Nos
College – First Floor	6 Nos
College – Second Floor	6 Nos
College – Third Floor	6 Nos
Canteen	3 Nos
Hostel	6 Nos

- ❖ Total stake holders – 719
- ❖ Class rooms – 68
- ❖ Staffs Rooms - 3
- ❖ Office Rooms – 2
- ❖ E-waste – Computer, Electrical and electronics parts – Disposal by selling
- ❖ Plastic Waste – Disposal by selling
- ❖ Food waste – to municipal waste collection center
- ❖ Solid wastes – to municipal waste collection center
- ❖ Glass waste – No treatment
- ❖ Waste water – Urinals, washing, bathroom in soak Pits
- ❖ Napkin incinerator – 1

#### Quantity of waste generated:-

- ❖ Biodegradable – ½ kg/day (office)
- ❖ Non biodegradable – 0.1 kg/day (office)
- ❖ Biodegradable – 0.1kg/day (labs)
- ❖ Non-biodegradable – 0 kg/day (including glass bottles)
- ❖ Hazardous waste –50gm/day
- ❖ Biodegradable – 25 kgs/day (Canteen)

## 14. Green Campus



- ❖ Total number of plant species identified – 390
- ❖ Tree cover of the campus - 13462 m<sup>2</sup>
- ❖ Free space in the campus – 52500 m<sup>2</sup>
- ❖ Garden area inside the college – 3.58 acres
- ❖ Total campus area – 25.62 Acres

  
**Principal**  
**J.K.K. Munirajah College of Technology**  
**(Autonomous)**  
**T.N. Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## 15. Carbon Footprint

- ❖ Petrol used by two wheelers/day–52 L  
(Per person to and fro 40 kms =1L)
- ❖ Fuel used by four wheelers (6 Persons) - 12 L  
(Per person to and fro 40 kms = 2L)
- ❖ Fuel used by Tractor and other college Vehicle = 18 L
- ❖ Fuel for persons (total 216 persons) travelling  
By common transportation = 112 L (0.5 Ltr per head)
- ❖ Fuel used by DG set - 2 L  
(Based on average consumption per day )
- ❖ **Total fossil fuel use is 196 L / day**
- ❖ **Total fuel cost per day for transportation = Rs 19,404/-**  
(196 L x Rs 99 )
- ❖ Cost of Gas cylinders used Rs. 236,520 / month (120 cylinders)
- ❖ Amount spent for transportation (office) – Rs. 4800/month (Approx.)
- ❖ Amount spent for transportation (canteen) – Rs. 4650/month
- ❖ Amount spent for transportation (visitors) – Rs. 15600/year
- ❖ Other expenditures for the energy – Rs. 147/day

Burning of fossil fuels is the main source and cause of carbon dioxide release to the atmosphere. Carbon dioxide release for the stakeholders to reach the college is very high. It is contributing to the global warming and increasing the pace of climate change. If a College bus is fully utilised for the staff and students means carbon dioxide released for the stakeholders' commutation can be reduced. More trees are planted in the campus in order to make a source of sink for the carbon dioxide and for other green house gases.

### **List of eco friendly activities going on in the campus**

- ❖ Planting and caring of trees in and around the campus.
- ❖ Timely disposal of wastes from the campus.
- ❖ Celebration of important days like World Environment Day, Ozone day, with great importance.
- ❖ Campus is declared plastic free.
- ❖ Management has decided to adopt green protocol
- ❖ Distribution of medicinal plant saplings among students



**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## **16. Major Audit Observations**

- ❖ The environmental awareness initiatives are substantial.
- ❖ The installation of solar panels is initiated and needs to be strengthen
- ❖ Training in vegetable cultivation and composting practices are adequate.
- ❖ There is Green policy/ environmental policy statement indicating the commitment of the college towards its environmental performance.
- ❖ Gardens inside the college premises are found well maintained.
- ❖ Attention needed in developing Herbal Gardens
- ❖ Use of notice boards and signs are adequate to reduce over exploitation of natural resources.
- ❖ Programs on green initiatives have to be increased. Campus is declared plastic free, stringent actions should be taken to maintain this.
- ❖ Rain water harvesting systems is found good
- ❖ Solar power generation, environmental education programs have to be strengthened.
- ❖ Lot of NSS program conducted related cleaning activities in villages around the college are appreciable.
- ❖ Water conservation committee is needs to be framed and monitored
- ❖ Energy Conservation group also needed
- ❖ Separate group is needed to plan and cultivate location-based plants to reduce the water consumption of the Garden
- ❖ College should take initiative to educate the nearby village peoples about global warming and waste management through their programs



**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

### **17. Water Audit Findings**

- ❖ There is water consumption monitoring system in the college campus and monitoring activities are needs to be improved.
- ❖ The college does not have waste water treatment for waste water generated from laboratories, canteen, hostel kitchen, toilets, bathrooms and office rooms.
- ❖ Automatic switching system is needs to be installed for pump sets used for overhead tank filling.
- ❖ College has started to fix the aerators in existing taps to reduce the water consumption
- ❖ Display boards against the misuse of water use are needs to be improved.

### **18. Energy Audit**

- ❖ The communication process for awareness in relation to energy conservation is found adequate.
- ❖ Monthly use of electricity in the college is very optimum
- ❖ Objectives for reducing energy, water and fuel consumption are merger.
- ❖ There are fans of older generation and non-energy efficient which can be phase out by replacing with new energy efficient fans.
- ❖ New projects are going out with Energy efficient product is a good sign
- ❖ Regular monitoring of equipment and immediate rectification of any problems needed and monitored.
- ❖ Use of renewable energy is not sufficient. It needs great attention to reduce greenhouse gas emission.



**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

### **19. Waste Audit**

- ❖ Solid waste management systems established are sufficient.
- ❖ The college has proper communication with the local body for regular collection of solid waste from the campus.
- ❖ Waste bins in the class rooms, veranda, canteen and campus are adequate.
- ❖ Bio gas plant is available
- ❖ Proper composting systems are lacking.
- ❖ Green chemistry labs are needs to be introduced.

### **20. Green Campus Audit**

- ❖ Tree cover of the college with respect to the stakeholder strength is enough.
- ❖ Regular planting of trees in the campus are adequate.
- ❖ Display boards to all plants identified are lacking.
- ❖ Water uses for gardens are high.
- ❖ No arboretum is set up in the college campus.
- ❖ There are only very few fruit trees in the college to attract birds.
- ❖ Registry for flora and fauna on the campus is lacking.
- ❖ College needs to plant more herbal plants

### **21. Carbon Foot Print Audit**

- College has not yet taken any initiative for carbon accounting.
- Encourage students to use cycles.
- 190 liters of fossil fuel is burned every day for the functioning of the college. This is too high carbon emission
- A huge amount such as Rs. 2,36,520 per day is spent as the cost of fossil fuel by the stakeholders.
- Usage of 120 gas cylinders per month is very high.


## **22. Preparation of Action Plan**

Policies referring to college's management and approach's towards the use of resources need to be considered. The college should have a green policy/environmental policy for its sustainable development. The environmental policy formulated by the management of the college should be implemented meticulously. The college should have a policy on awareness raising or training programs (for ground staff or kitchen staff for example) and college also should have a procurement policy (the College's policy for purchasing materials).

## **23. Follow Up Action and Plans**

Green Audits are exercises which generate considerable quantities of valuable management information. The time and effort and cost involved in this exercise is often considerable and in order to be able to justify this expenditure, it is important to ensure that the findings and recommendations of the audit are considered at the correct level within the organisation and that action plans and implementation programs result from the findings.

Audit follow up is part of the wider process of continuous improvement. Without follow-up, the audit becomes an isolated event which soon becomes forgotten in the pressures of organisational priorities and the passing of time.

  
Principal  
J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506


#### **24. Environmental Education**

The following environmental education program may be implemented in the college before the next green auditing:-

- ❖ Training programs in solid waste management, liquid waste management, setting up of medicinal plant nursery, water management, vegetable cultivation, paddy cultivation, tree planting, energy management, landscape management, pollution monitoring methods, and rain water harvesting methods.
- ❖ Increase the number of display boards on environmental awareness such as – save water, save electricity, no wastage of food/water, no smoking, switch off light and fan after use, plastic free campus etc.
- ❖ Activate the environmental clubs
- ❖ Set up model rainwater harvesting system, rainwater pits, vegetable garden, medicinal plant garden, paddy fields etc. for providing proper training to the students.
- ❖ Conduct exhibition of recyclable waste products
- ❖ Implement chemical treatment system for waste water from the laboratories.

#### **25. Awareness on Carbon Generation**

- ❖ Students and Staff members may be made totally aware of pollution caused by use of vehicles.
- ❖ The awareness programs on carbon emission at individual as well as social level will help to avoid air and noise pollution in the campus due to vehicles.

  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## **26. Conclusion and Full List of Recommendations**

The green audit assists in the process of testing performance in the environmental arena and is fast becoming an indispensable aid to decision making in a college.

The green audit reports assist in the process of attaining an eco friendly approach to the sustainable development of the college. Hope that the results presented in the green auditing report will serve as a guide for educating the college community on the existing environment related practices and resource usage at the college as well as spawn new activities and innovative practices. A few recommendations are added to curb the menace of waste management using eco-friendly and scientific techniques. This may lead to the prosperous future in context of Green Campus and thus sustainable environment and community development.

It has been shown frequently that the practical suggestions, alternatives, and observations that have resulted from audits have added positive value to the audited organisation. An outside view, perspective and opinion often helps staff who have been too close to problems or methods to see the value of alternative approaches. A green audit report is a very powerful and valuable communications tool to use when working with various stakeholders who need to be convinced that things are running smoothly and systems and procedures are coping with natural changes and modifications that occur.



**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## **27. Common Recommendations**

- ❖ Adopt an environmental policy for the college as in annexure D
- ❖ Establish a purchase policy for environmental friendly materials
- ❖ Conduct more seminars and group discussions on environmental education
- ❖ Students and staff can be permitted to solve local environmental problems
- ❖ Renovation of cooking system in the canteen to save gas
- ❖ Establish water, waste and energy management systems

## **28. Criteria Wise Recommendations**

### **Water**

- Remove damaged taps and install sensitive taps if possible.
- Drip irrigation for vegetable cultivation can be initiated.
- Install Meters to monitor the water use
- Establish water treatment systems.
- Use waterless urinals
- Spray the water to the garden in the early morning of the day
- Use aerator in the taps to reduce the water consumption and wastage
- Use treated water for bus wash and other toilet use
- Conduct leak test at least once in two months
- Use water efficient garden techniques to reduce the water consumptions in garden
- Awareness programs on water conservation to be conducted.
- Install display boards to control over exploitation of water.

### Energy

- Conventional Fans needs to be replaced with energy efficient BLDC Fans.
- Conduct more save energy awareness programs for students and staff.
- Try to install more solar panels to reduce the greenhouse gas emission
- Optimize the energy usage
- Automatic power on/off systems may be introduced.

### Waste

- Monitor a functional bio gas plant.
- A model solid waste treatment system to be established.
- A model Vermi composting plant to be set up in the college campus.
- Maintain a plastic free campus.
- Avoid paper plates and cups for all functions in the college.

### Green Campus

- All trees in the campus should be named scientifically.
- Create more space for planting.
- Grow potted plants at both verandah and class rooms.
- Create automatic drip irrigation system during summerholidays.
- Not just celebrating environment day but making it a dailyhabit.
- Beautify the college building with indoor plants
- Providing funds to nature club for making campus more green
- Encouraging students not just through words, but through action for making the campus green
- Conducting competitions among departments for making studentsmore interested in making the campus green.

### Carbon footprint

- Establish a system of carpooling among the staff to reduce the number of four wheelers coming to the college.
- Increase effective use of college bus services to the students and staff.
- Encourage students and staff to use cycles.
- Establish a more efficient cooking system to save gas.
- Discourage the students using two wheelers for their commutation.
- More use of generators every day should be discouraged.



**Prindpal**

**J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**

## **29. Audit Report**

We have conducted the Green audit at all important areas up to our maximum possible extend. We found some points in alternate energy use and waste management are needed attention. Overall performance of college is found satisfactory.

**For Sri Energy Solutions,**



**M.Rameshkumar**

**BEE Certified Energy Auditor – EA 22303**

## Annexure – A

### Details of the Program offered

#### ❖ U.G.Courses

- Automobile Engineering
- Artificial Intelligence & Data Science
- Civil Engineering
- Computer Science and Engineering
- Computer Science and Engineering (Cyber Security)
- Electronics and Communication Engineering
- Electrical and Electronics Engineering
- Information technology
- Mechanical Engineering

#### ❖ P.G.Course

- Master of Business Administration
- Master of Computer Application
- ME – Computer Science and Engineering
- ME – Applied Electronics
- ME – Power Electronics and Drives
- ME –Manufacturing Engineering

## Annexure – B

### Bus Routes

The college has operated several buses in the following route for the convenience of the students and staffs

Sl.No	Bus Route	Distance in Km
1	Tiruppur	132
2	Annur	128
3	Edappadi	126
4	Guruvarettiur	116
5	Perumanallur	114
6	Varattupallam	110
7	Kadampur	80
8	Chittar	106
9	Bhavanisagar	100
10	Kottakattupalayam	92
11	Komarapalayam	90
12	Kavilipalayam	104
13	Vellakovil	90
14	Bhavani	96
15	chennampatti	90
16	Govindampadi	150
17	Mettur	140
18	Modakuruchi	150
20	Nambiyur	70
21	Vellaiyampalayam	60

## Annexure – C

### Air Pollution Norms

AQI	Air Pollution Level	Health Implications	Cautionary Statement (for PM2.5)
0 - 50	Good	Air quality is considered satisfactory, and air pollution poses little or no risk	None
51 - 100	Moderate	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.	Active children and adults, and people with respiratory disease, such as asthma, should limit prolonged outdoor exertion.
101-150	Unhealthy for Sensitive Groups	Members of sensitive groups may experience health effects. The general public is not likely to be affected.	Active children and adults, and people with respiratory disease, such as asthma, should limit prolonged outdoor exertion.
151-200	Unhealthy	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects	Active children and adults, and people with respiratory disease, such as asthma, should avoid prolonged outdoor exertion; everyone else, especially children, should limit prolonged outdoor exertion
201-300	Very Unhealthy	Health warnings of emergency conditions. The entire population is more likely to be affected.	Active children and adults, and people with respiratory disease, such as asthma, should avoid all outdoor exertion; everyone else, especially children, should limit outdoor exertion.
300+	Hazardous	Health alert: everyone may experience more serious health effects	Everyone should avoid all outdoor exertion



**Principal**

**J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**

## Future Support

Thanks for your co-operation to bring out this energy saving operation. We will give necessary support to achieve your energy saving at any time.

# THANK YOU

From,

M/s.Sri Energy Solutions


2/57, Church Street,

Silukkuvarpatti,

Dindigul – 624 215

Mob : 84899 00220

For Query : [srienergysolutions@gmail.com](mailto:srienergysolutions@gmail.com)

  
Principal  
J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

2024

ENERGY AUDIT REPORT  
OF  
J.K.K. MUNIRAJAH COLLEGE OF  
TECHNOLOGY, ERODE



**JKKM COLLEGE OF TECHNOLOGY**

An **AUTONOMOUS** Institution

Accredited by **NAAC** with **"A"** Grade

T.N Palayam, Gobichettipalayam, Erode - 638 506



Energy Audit  
by Sri Energy  
Solutions

08.04.2024

Principal

J.K.K. Munirajah College of Technology  
(Autonomous)

T.N. Palayam, Gobichettipalayam, Erode (Tk),  
638 506

**Project Report Title** : **Energy Audit**

**Client Name** : **J.K.K. Munirajah College of Technology**

**Plant Location** : **T.N. Palayam Post,  
Gobi Taluk,  
Erode District – 638 506**

**Date of Audit** : **08.04.2024**

**Energy Audit by** : **M/s. Sri Energy Solutions, Dindigul**

**Energy Audit Team** : **1. M.Rameshkumar., B.E, M.B.A,  
PGDEEM&EA, BEE Certified Energy Auditor**

**2. C.Sekar.,B.Tech  
Trainee Engineer – Energy Audit**

  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## **Acknowledgement**

**Sri Energy Solutions** acknowledge with hearty thanks to **Mrs.Vasanthakumari Munirajahh.M, Chairman, Mrs.Kasthuripriya, Secretary and Mr.Kirubhakar Murali.M, Research Director, J.K.K. Munirajah college of Technology, Erode** for them support for carrying out this audit.

Our special thanks to **Dr.K.Sridharan – Principal, Mrs.V.Mohanapriya – HOD (Civil), Mr.S.M.Pranesh – AP (EEE), Mr.P.Eswaran – AP (Auto) and Mr.M.Senthilkumar – AP(MCA)** for their co-operation and support us to carry out the Energy audit on time.

In addition with this, we are grateful to your staffs **Mr.K.Suresh and Mr.M.Kandhasamy** for their co-operation and support us to carry out the Energy audit very effectively.

  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 586**

## Index

Sl.No	Particulars	Page No
1.	Introduction .....	5
2.	Objective.....	5
3.	Executive Summary .....	6
4.	TNEB Power consumption Trend.....	7
5.	Power Consumption Analysis .....	9
6.	Lighting and Fan Power consumption analysis .....	10
7.	AC Power Consumption analysis .....	11
8.	Main Incoming Trend .....	12
9.	Energy saving Recommendation No.1 .....	17
10.	Energy saving Recommendation No.2 .....	18
11.	Energy saving Recommendation No.3 .....	19
12.	Energy saving Recommendation No.4 .....	20
13.	Energy saving Recommendation No.5 .....	21
14.	Energy saving Recommendation No.6 .....	22
15.	Energy saving Recommendation No.7 .....	23
16.	Energy saving Recommendation No.8 .....	24
17.	Audit Report .....	25
18.	Future Support .....	26

  
Principal

**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**

## 1. Introduction

**J.K.K. College of Technology** is located at T.N. palayam, Gobi, Erode. This college is having lot of courses in Engineering sector with complete equipped. This institution has two LTCT service and two LT services. Also have two backup generators of 125 KVA and 15 KVA capacity. High quality panels and switch gears are connected with this service for giving quality supply to the equipments. The capacity of generator is also well enough to meet the demand. The electrical distribution panel is accompanied with Automatic Power factor panel to maintain the power factor in good range. On the next step, the management decided to conduct the energy audit in their institution to reduce their energy cost.

## 2. Objectives

The following objectives of Energy Audit are,

- To reduce the energy wastage
- To standardize the preventive maintenance
- To improve the quality of supply
- To improve the service life of equipments
- To improve the safety of equipments and workmen



Principal

**J.K.K. Munirajah College of Technology**  
(Autonomous)  
T.N. Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

### **3. Executive Summary**


- The sanctioned demand of **TNEB supply of 111 KW (04-310-011-381), 19.54 KW (04-310-011-386), 14.5 KW (04-310-011-390) and 60 KW (04-310-407)** are well enough to meet the connected load of **247 KW**. Since it is batch process service.
- Standby power source is from **125 KVA and/or 15 KVA** generators is more than enough
- Average monthly Energy consumption is **34,250 units**
- Energy efficient lighting conversion is already in the process
- Total lighting, Computers and fan power load is **121.49 KW** and has saving potential of **38.24KW**. The saving potential is **31.47 %**
- Total Air Conditioner power load is **40.2 KW** and has saving potential of **6 KW**. The saving potential is **15%**
- Some panels required earthing connections, which is very essential in safety aspects and to reduce the components failure
- Some windows required cooling sheets to reduce the power consumption of Air conditioners
- We can go for 10 KW Solar power plant to this service and can yield annual saving of **Rs.72,000 /-**
- The Annual energy saving by energy efficiency method is **47,850 units**
- The Annual energy saving by solar power plant is **9,000 units**
- The overall annual cost saving by implementing the recommendations mentioned in this report is **Rs.4,54,800 /-**




**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

#### 4. TNEB Energy Consumption Trend

##### College Service




##### Welding Service




*[Signature]*  
Principal

**J.K.K.Munirajah College of Technology**  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

## Girls Hostel Service




## Boys Hostel Service



## 5. Power Consumption Analysis

Load Type	Load Details in KW
Lighting and Fan	91.62
Pumps	21
Air Conditioner	32.7
Computer & Accessories	26.4
Others	73.5
Total	245.22

Electrical Load Details in KW and Percentage



■ Lighting and Fan ■ Pumps ■ Air Conditioner ■ Computer & Accessories ■ Others


*Knowledge*  
Principal

J.K.K. Munirajah College of Technology  
(Autonomous)

T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

## 6. Lighting and Fan Power Consumption Analysis

Particulars	Actual KW	Energy Saving Potential in KW
College	44.77	19.3
Boys Hostel	30.74	13.7
Mess	4.695	2.42
Lab	4.345	1.88
Kitchen	0.9	0.34
Girls Hostel	8.74	0




*[Signature]*  
Principal

**J.K.K. Munirajah College of Technology  
(Autonomous)  
T.N. Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**

## 7. AC Power Consumption Analysis

AC Location	Actual Consumption in KW	Proposed Consumption in KW	Energy saving Potential in KW
Seminar Hall	15	12.75	2.25
Principal Room	1.5	1.275	0.225
Chairman Room	1.5	1.275	0.225
Computer Lab - GF	6	5.1	0.9
Communication Lab	3	2.55	0.45
Board Room	2.4	2.04	0.36
Placement Cell	1.2	1.02	0.18
Cad Lab	1	0.85	0.15
DSP Lab	1	0.85	0.15
Computer Lab 3	1.2	1.02	0.18
Computer Lab 4	2.4	2.04	0.36
JKKM FM Radio	4	3.4	0.6
Total		22.312	3.948




  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**


**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## 8. Main Incoming Trend

### Voltage Trend



### Current Trend




Principal

J.K.K.Munirajah College of Technology


(Autonomous)

T.N.Palayam, Gobi (Tk),

**Power Trend**



**Power Factor Trend**




*Principal*


**J.K.K.Munirajah College of Technology  
(Autonomous)**

**T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**


### Voltage Harmonics Trend



### Current Harmonics Trend



## Active Energy Consumption



## Key Points

- Average energy consumption is 25 KWH per hour in day time
- Both voltage harmonics and current harmonics are on higher side requires harmonics mitigation equipments at all UPS and Lighting Circuits
- Isolated earthing is needed for all UPS
- Some of the tube lights are conventional 40W bulbs and the same should be replaced with 20W LED tube light which gives same illumination. This saves 50% of energy bill.
- Fans which are used also conventional type 75W fans and the same should be replaced with 35W BLDC Fan which saves 53% energy bill.
- Power factor is in mid range. But still we can improve by the balancing the load in all phases up to the maximum extend and providing load side capacitors to the pumps.

*J.K.K.*  
Principal

J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506


9. Energy Saving Recommendation No.1

**20 Watt**



- Replacing 40W Conventional Tube lights with 20W LED lights. Thereby we can achieve 50% energy saving in this category
  
- For an Example, we can get more benefit if we are adopting these recommendations in class rooms, Varandha and Hostel rooms

## 10. Energy Saving Recommendation No.2




- In some common areas like Varandha, Bath rooms and Washing Rooms, we can use sensor-based LED lights which will reduce the energy consumption when no need
- It will switch off or dim the light, when no human movements found. Now we are getting this sensor-based LED lights at affordable Price

  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

### **11. Energy Saving Recommendation No.3**




- The Ceiling fans used in maximum places except news girl hostel and some part of college are conventional type. The energy consumption of conventional fan is 75 watts and whereas for super fan it is only 35 watts. Hence we can save 53% of energy used in fan application
- Even in recent advancement BLDC fans comes with auto speed reduction options which will reduce energy consumption further

  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**


## **12. Energy Saving Recommendation No.4**



- At present, the college has 10 KW solar power plant and 1 KW solar street light.
- But, the college load consumes minimum 16KW power from TNEB. Hence we can go for further 10KW solar power plant with college load
- Thereby we can reduce our consumption by 9000 KWH by considering 200 working days.
- We can get the cost benefit of 72,000 per year by installing additional 10KW solar power plant

  
**Principal**  
**J.K.K.Munirajah College of Technology,**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**


**13. Energy Saving Recommendation No.5**



- Creating Energy saving awareness by displaying reminders as like above.
- This will reduce the wastage of energy uses when not necessary


  
**Principal**  
**J.K.K.Munirajah College of Technology**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

14. Energy Saving Recommendation No.6




- We can install the automatic controller for street light based on our requirements
- We can switch off or dim when no movement found or we can switch off after particular peak time

### 15. Energy Saving Recommendation No.7




- We can reduce the energy consumption of Air conditioners by installing AC energy saver as like above
- It will reduce the compressor load on nearing set temperature. Thereby we can reduce the energy consumption of AC from 15% to 30% depends on model

  
Principal  
J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

## 16. Energy Saving Recommendation No.8



UPTO  
**45%**  
SAVINGS  
IN AC BILLS



- By using Ceiling Fan along with Air conditioner will reduce the work load of air conditioner. Thereby we can reduce the energy consumption of AC
- Either we can use direct connected Ceiling fan or controller connected ceiling fan


  
Principal  
J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

## 17. Audit Report

We have conducted the Energy audit at all important power distribution boards up to our maximum possible extend. The following results were obtained. **Measurements were taken at variable load conditions.**


- The energy saving potential in lighting and fans circuit is 38.24 KWH per hour at 100% loading, which is 40.2% saving at present condition.
- The energy saving potential in Air conditioner circuit is 6.03 KWH per hour at 100% loading, which is 15%
- The free energy generation by erecting 10KW solar panels to college load is 45 KWH per day which is 50% of present energy consumption

For Sri Energy Solutions,



**M.Rameshkumar**

**BEE Certified Energy Auditor**



**Principal**  
**J.K.K.Munirajah College of Technology,**  
**(Autonomous)**  
**T.N.Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## 18. Future Support


Thanks for your co-operation to bring out this energy saving operation. We will give necessary support to achieve your energy saving at any time.

# THANK YOU

From,  
M/s.Sri Energy Solutions  
2/57, Church Street,  
Silukkuvarpatti,  
Dindigul  
Pin : 624 215

For Query : [srienergysolutions@gmail.com](mailto:srienergysolutions@gmail.com)

Mob : 90420 64932

  
**Principal**  
J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

2024

**ENVIRONMENT AUDIT REPORT  
OF  
J.K.K MUNIRAJAH COLLEGE OF  
TECHNOLOGY, ERODE**



**JKKM COLLEGE OF TECHNOLOGY**

An **AUTONOMOUS** Institution

Accredited by **NAAC** with "A" Grade

T.N Palayam, Gobichettipalayam, Erode - 638 506



**Environment Audit  
Done by  
Sri Energy Solutions**

08.04.2024

**Principal**

**J.K.K. Munirajah College of Technology  
(Autonomous)**

**T.N. Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**

**Project Report Title** : **Environment Audit**

**Client Name** : **J.K.K. Munirajah College of Technology**

**Plant Location** : **T.N. Palayam Post,  
Gobi Taluk,  
Erode District – 638 506**

**Date of Audit** : **08.04.2024**

**Energy Audit by** : **M/s. Sri Energy Solutions, Udumalpet**

**Energy Audit Team** : **1. M.Rameshkumar., B.E, M.B.A, PGDEEM&EA,  
BEE Certified Energy Auditor**

**2. S.Hari Prasad.,B.E**

**Trainee Engineer – Energy Audit**

## Acknowledgement

Sri Energy Solutions acknowledge with hearty thanks to Mrs.Vasanthakumari Munirajhh.M, Chairman, Mrs.Kasthuripriya, Secretary and Mr.Kirubhakar Murali.M, Research Director, J.K.K. Munirajah college of Technology, Erode for them support for carrying out this audit.


Our special thanks to Dr.K.Sridharan – Principal, Mrs.V.Mohanapriya – HOD (Civil), Mr.S.M.Pranesh – AP (EEE), Mr.P.Eswaran – AP (Auto) and Mr.M.Senthilkumar – AP(MCA) for their co-operation and support us to carry out the Energy audit on time.

In addition with this, we are grateful to your staffs Mr.K.Suresh and Mr.M.Kandhasamy for their co-operation and support us to carry out the Energy audit very effectively.

## Index

Sl.No	Particulars	Page No
1.	Introduction .....	6
2.	Objective.....	7
3.	Methodology .....	8
4.	About the college .....	9
5.	Water Quality assessment, Consumption and Management.....	10
6.	Air Quality assessment, Consumption and Management.....	12
7.	Energy consumption Analysis.....	13
8.	Sound Pollution Monitoring .....	14
9.	Waste Management .....	15
10.	Green Campus .....	18
11.	Carbon Foot Print .....	19
12.	Alternative Energy Use.....	21
13.	Plastic Awareness Program .....	22
14.	Reducing Fuel Consumption .....	24
15.	Tree Plantation Program .....	25
16.	Plastic Free Campus .....	26
17.	Rain Water Harvesting .....	27
18.	Floral Diversity .....	28
19.	Faunal Diversity .....	29
20.	Major Audit Observations .....	30

21.	Water Audit Findings .....	31
22.	Energy Audit Findings .....	31
23.	Waste Audit Findings .....	32
24.	Green Campus Audit Findings .....	32
25.	Carbon Foot Print Findings .....	32
26.	Preparation of Action Plan .....	33
27.	Follow up Actions and Plan .....	33
28.	Environmental Education .....	34
29.	Awareness of Carbon Consumption .....	34
30.	Conclusion and Full list of recommendation .....	35
31.	Common Recommendations .....	36
32.	Criteria wise Recommendation .....	36
33.	Audit Report.....	39
34.	Annexure – A .....	40
35.	Annexure – B .....	41
36.	Annexure – C .....	42
37.	Annexure – D .....	43
38.	Annexure-E .....	44
39.	Future Support.....	45

  
**Principal**  
**J.R.R. Munirajah College of Technology**  
**(Autonomous)**  
**T.N. Palayam, Gobi (Tk),**  
**Erode (Dt) - 638 506**

## 1. Introduction

**J.K.K. Munirajah College of Technology** is one of the leading higher education institutions under Anna university, chennai. This college was established by **Dr.J.K.K. Munirajah** in the year of 2008.

This college is located at T.N. palayam, Gobi, Erode. This college is having lot of courses in Engineering sector with complete equipped. It has been providing quality education to the rural and semi-urban students of Erode and Tiruppur district. This institution has three LTCT TNEB services and two backup generators. High quality panels and switch gears are connected with this service for giving quality supply to the equipment's. The capacity of generator is also well enough to meet the demand.

This college is located is well away from main road which leads to dust free environment. More over college is concentrating much on Green garden with enough trees and plants. The water supplied inside the campus is good. On the next step, the management decided to conduct the environment audit in their institution to provide effective environment.

## 2. Objectives

The main objectives of the environment audit are to promote the environment management and conservation in the college campus. The purpose of the audit is to identify, quantify, describe and priorities framework environment sustainability in compliance with the applicable regulations, policies and standards. The main objectives of carrying out Green Audit are,

- To check that the natural resources are properly utilized and to control the adverse effect on the environment
- To check that proper steps have been undertaken for maintaining health, welfare of the community and also for dispersal of harmful wastes and social risks
- To introduce and make aware students to real concerns of environment and its sustainability.
- To secure the environment and cut down the threats posed to human health by analyzing the pattern and the extent of resource use on the campus
- To establish a baseline data to assess future sustainability by avoiding the interruptions in environment that are more difficult to handle and their corrections requires high cost
- To bring out a present status report on environmental compliance

### **3. Methodology**

In order to perform environment audit, the methodology included different techniques such as physical inspection of the campuses, observation and review of the documentation, interviewing key persons, and data analysis, measurements and recommendations. The study covered the following area to summarize the present status of environment management in the campuses:

- Water quality assessment, consumption and management
- Air quality assessment and management
- Electricity consumption and management
- Sound pollution monitoring
- Waste management
- Biodiversity status of the campus
- Environment awareness development
- Developing green belt
- Encouraging alternate energy use

## **4. About the College**

### **Institutional Vision**

J.K.K. Munirajah college of technology seeks to become a centre of excellence by providing its students a comprehensive education with special emphasis on responsible citizenship, secular outlook, moral values and abiding faith in God expressed in active concern for others.


### **Objectives of the College**

The college endeavors to prepare its students for fulfilling careers by enabling them to realize their full potential and by inculcating in them the spirit of intellectual enquiry, independent thinking, self- reliance, leadership, co- operation, expression of cultural talents and social service.

## 5. Water Quality Assessment, Consumption and Management

In J.K.K. Munirajah college of technology have three bore wells and two open wells. The college extracts around 160 KLD of water from bore well and utilizing to the college uses.

The water balance chart of college is given below,



The MPN index of water samples at different locations are given below,

Sample No	Location	MPN Index (per 100ml)	Water Quality
1	Class Room - GF	00	Outstanding (Potable)
2	Class Room - FF	00	Outstanding (Potable)
3	Class Room - SF	00	Outstanding (Potable)
4	Staffs Room	00	Outstanding (Potable)
5	Canteen	00	Outstanding (Potable)
6	Tap Water	09	Good (Non-potable)
7	Bore water	54	Average (Non-potable)

The following actions can be taken up to reduce the water usage and save environment for future generations

- Fixing of Aerators in all taps
- Scheduled watering to garden especially in early morning or late evening
- Usage waterless urinals
- Storing rain water and maintaining rain water collection pits
- Fixing of metering system to monitor water usage
- Fixing display board to advice about water usage reduction
- Providing trip irrigation to garden to reduce water usage
- Form water conservation committee and use them to reduce water consumption and management
- Conduct water conservation program to students and nearby villages in order to save water
- Construct water treatment plant to treat the waste water and reuse it for bus cleaning and other cleaning purpose
- Conduct water leak test once in a month to reduce water wastage through leak

Most of the above points were discussed with top management and agreed to take immediate actions to conserve water.

College has good practice of using water to garden. Thereby nowhere waste water discharged as it is. Still we can try to treat this waste water and can be used to all other purpose.

## 6. Air Quality Assessment, Consumption and Management

The following air quality parameters were measured using Airveda and government's official sites.

Parameter	Minimum Value	Maximum Value
PM 2.5	5	14
PM 10	16	22
O <sub>3</sub>	19	43
NO <sub>2</sub>	11	21
CO	160	330
Temp	25	34
Pressure	817	833
Humidity	45	67
Wind Speed	6	15

Present air pollution level is in the range of good due to less population and lighter transport. Lot of efforts is taking up to reduce the air pollutions. J.K.K. Munirajah college of technology developed good green belt. Still it needs to be improved.

The location of this college is so away from busy roads. Thereby the college students and staffs are enjoying high quality air and less noise. Moreover the college is maintaining lot of garden and tress to give more than enough clean air than what is required. As per the air sector the college is performing so better.

## 7. Energy Consumption Analysis

Load Type	Load Details in KW
Lighting and Fan	92.788
Pumps	21.000
Air Conditioner	25.620
Computer & Accessories	34.800
Others	73.500
<b>Total</b>	<b>247.708</b>

Building	Actual Consumption in KW	Energy saving Potential in KW
College	39.8	18.2
New Girls Hostel	4.625	0.5
Old Girls Hostel	11.22	5.72
Boys Hostel	29.493	13.56
Others	7.65	3.14
Total	92.788	41.12

### Key Points

- Average energy consumption is 28 KWH per hour in day time
- Both voltage harmonics and current harmonics are on higher side requires harmonics mitigation equipments at all UPS and Lighting Circuits
- Isolated earthing is needed for all UPS
- Some of the tube lights are conventional 40W bulbs and the same should be replaced with 20W LED tube light which gives same illumination. This saves 50% of energy bill.
- Fans which are used also conventional type 75W fans and the same should be replaced with 35W BLDC Fan which saves 53% energy bill.
- Power factor is in mid range. But still we can improve by the balancing the load in all phases up to the maximum extend and providing load side capacitors to the pumps.

## 8. Sound Pollution Monitoring

Sound pollution is another important parameter that is taken into account for green auditing of the college campus. Sound is quantified by the Sound level meter (Lutron – SL4030)

Location	Average Sound Level (db)
Ground Floor	63
First Floor	57
Second Floor	59
Canteen	64
Main Gate	59
Hostel	48
Workshop	68
Power House	57
Library	51
Office	59
Principal Room	59
Conference Room	46
Reception	53
Play ground	67

This college is located so away from busy roads makes the environment very calm. It offers pleasant environment which is very essential for good education.

## 9. Waste Management

This indicator addresses waste production and disposal of different wastes like food, Paper, Plastic, glass, dust etc. Furthermore, solid waste often includes wasted material resources that could otherwise be channeled into better service through recycling, repair and reuse. For proper segregation and management, proper use of waste bins is the only solutions for waste management purpose in the college campus.



In J.K.K. munirajah college of Technology, there is a practice of collecting the waste with colour coded bins. Each floor contains two or more sets of colour bins for proper waste management.

Location	Number of Waste bins
College – Ground Floor	6 Nos
College – First Floor	6 Nos
College – Second Floor	6 Nos
Canteen	3 Nos
Hostel	6 Nos

Moreover the college has placed lot of display boards to reduce the waste generation which aids to maintain good environment system inside the college campus.





## 10. Green Campus



- ❖ Total number of plant species identified – 390
- ❖ Tree cover of the campus - 13462 m<sup>2</sup>
- ❖ Free space in the campus – 52500 m<sup>2</sup>
- ❖ Garden area inside the college – 3.58 acres
- ❖ Total campus area – 25.62 Acres

The college has maintaining lot of Plants and trees which helps the college surrounding looks more pleasant. This gives pleasant air with good thermal comfort to the students. In addition with all the class rooms were equipped with sufficient Window to floor ratio and enough number of ceiling fans

## 11. Carbon Footprint

- ❖ Petrol used by two wheelers/day–**100 L**  
(Per person to and fro 40 kms = 1L)
- ❖ Fuel used by four wheelers (12 Persons) - **24 L**  
(Per person to and fro 40 kms = 2L)
- ❖ Fuel for persons (total 312 persons) travelling  
by common transportation = **461.6 L** (23.08 Ltr per bus)
- ❖ Fuel used by DG set - **6 L**  
(Based on average consumption per day )
- ❖ **Total fossil fuel use is 591.6 L / day**
- ❖ **Total fuel cost per day for transportation = Rs 42,595/-**  
(591.6 L x Rs 72 )
- ❖ Cost of Gas cylinders used Rs. 54000/month (45 cylinders)
- ❖ Amount spent for transportation (office) – Rs. 4500/month (Approx.)
- ❖ Amount spent for transportation (canteen) – Rs. 4500/month
- ❖ Amount spent for transportation (visitors) – Rs. 13000/year
- ❖ Other expenditures for the energy – Rs. 638/day

Burning of fossil fuels is the main source and cause of carbon dioxide release to the atmosphere. Carbon dioxide release for the stakeholders to reach the college is very high. It is contributing to the global warming and increasing the pace of climate change. If a College bus is fully utilized for the staff and students means carbon dioxide released for the stakeholders' commutation can be reduced. More trees are planted in the campus in order to make a source of sink for the carbon dioxide and for other greenhouse gases.

### **List of eco-friendly activities going on in the campus**

- ❖ Planting and caring of trees in and around the campus.
- ❖ Timely disposal of wastes from the campus.
- ❖ Celebration of important days like World Environment Day, Ozone day, with great importance.
- ❖ Campus is declared plastic free.
- ❖ Management has decided to adopt green protocol
- ❖ Distribution of medicinal plant saplings among students

## 12. Alternative Energy Use

The college had set up solar based hot water system on girl's hostel which reduces the electricity consumption for water heating purpose.



The above photos shows that the installation 4000 LPH solar hot water system. This gives 4000 liters of hot water in most of the days per annum.

Thereby the energy saved is given below

$$\begin{aligned} \text{Energy required to heat the water to } 70^{\circ}\text{C} &= 4000 \times (70-28) \\ &= 1,68,000 \text{ Kcal/day} \end{aligned}$$

$$\text{Amount of electricity equivalent} = 195 \text{ KWH / day}$$

$$\begin{aligned} \text{Annual energy saving by using SWH} &= 195 \times 300 \\ &= 58,500 \text{ KWH} \end{aligned}$$

$$\text{Amount of CO}_2 \text{ reduction by using SWH} = 47.385 \text{ MT}$$

By utilizing SWH the college has reduced CO<sub>2</sub> by 47 MT per year

*Principal*  
J.K.K. Muhirajali College of Technology  
(Autonomous)  
T.N. Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

### **13. Plastic Awareness Program**

The management of J.K.K. Munirajah College of technology conducts lot of programs to avoid plastics in and out of college campus. More over during NSS camp, the students were involved in collecting waste plastic which were spread over the scrap land. The same plastic hands over to corresponding block officer to safe disposal. Thereby the environment of the nearby villages is improved by students of J.K.K. Munirajah College of technology.





#### 14. Reducing Fuel Consumption

J.K.K. Munirajah college of technology conducts awareness program on Traffic rules and Voter day in nearby villages. This will improve the safety point of the nearby villages and fuel saving indirectly benefit to the environment. The college uses bi-cycle for the rally taking into consideration of smoke from the fuel vehicle. This will supports environment to reduce air pollution and also initiate to use of bicycle.



## 15. Tree Plantation Program

J.K.K. Munirajah college of Technology involved in tree plantation program in and out of the college campus. They had planted wide variety of trees and plants. Also they have take care survival of the same. This will boost environment air system by reducing air pollutions.



## 16. Plastic Free Campus

The management of J.K.K. Munirajah college of Technology is keen on avoiding plastic inside the college campus. Hence they had given enough awareness program and displayed lot of boards.



*Abhishek*  
**Principal**  
J.K.K. Munirajah College of Technology  
(Autonomous)  
T.N. Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

## 17. Rain Water Harvesting

J.K.K. Munirajah College of technology constructed with lot of rain water harvesting pits. This will supports to recharge the ground water level. College has the proposal to store the rain water for their internal use in future. This is the very good step towards the environment protection.



## **18. Floral Diversity**

J.K.K. Munirajah college of technology maintains floral diversity in great manner. They are maintaining different kinds of plants and also have plan of herbal garden in near future.



## 19. Faunal Diversity

J.K.K. Munirajah college of technology maintains faunal diversity in great manner. They are maintaining different kinds of plants to attract different faunal in their campus.



*[Handwritten Signature]*

**Principal**  
J.K.K. Munirajah College of Technology  
(Autonomous)  
T.N. Palayam, Gobi (Tk),  
Erode (Dt) - 638 506

## **20. Major Audit Observations**

- ❖ The environmental awareness initiatives are substantial.
- ❖ The installation of solar panels are not initiated and needs to started at soon
- ❖ Training in vegetable cultivation and composting practices are inadequate.
- ❖ There is no Green policy/ environmental policy statement indicating the commitment of the college towards its environmental performance.
- ❖ Gardens inside the college premises are found well maintained.
- ❖ Attention needed in developing Herbal Gardens
- ❖ Use of notice boards and signs are inadequate to reduce over exploitation of natural resources.
- ❖ Programs on green initiatives have to be increased. Campus is declared plastic free, stringent actions should be taken to maintain this.
- ❖ Rain water harvesting systems, solar power generation, environmental education programs have to be strengthened.
- ❖ Lot of NSS program conducted related cleaning activities in villages around the college are appreciable.
- ❖ Water conservation committee is needs to be framed and monitored
- ❖ Energy Conservation group also needed
- ❖ Separate group is needed to plan and cultivate location based plants to reduce the water consumption of the Garden
- ❖ College should take initiative to educate the nearby village peoples about global warming and waste management through their programs

## **21. Water Audit Findings**

- ❖ There is ongoing project of water consumption monitoring system in the college campus.
- ❖ The college does not have waste water treatment for waste water generated from laboratories, canteen, hostel kitchen, toilets, bathrooms and office rooms.
- ❖ Automatic switching system is needs to be installed for pump sets used for overhead tank filling.
- ❖ Fixing aerators to water taps to reduce the water consumption is on the way
- ❖ Display boards against the misuse of water use are needs to be improved.

## **22. Energy Audit**

- ❖ The communication process for awareness in relation to energy conservation is found adequate.
- ❖ Monthly use of electricity in the college is very optimum
- ❖ Objectives for reducing energy, water and fuel consumption are merger.
- ❖ There are fans of older generation and non-energy efficient which can be phase out by replacing with new energy efficient fans.
- ❖ New projects are going out with Energy efficient product is a good sign
- ❖ Regular monitoring of equipment's and immediate rectification of any problems needed and monitored.
- ❖ Use of renewable energy is not sufficient. It needs great attention to reduce greenhouse gas emission.

### **23. Waste Audit**

- ❖ Solid waste management systems established are sufficient.
- ❖ The college has proper communication with the local body for regular collection of solid waste from the campus.
- ❖ Waste bins in the class rooms, veranda, canteen and campus are adequate.
- ❖ Bio gas plant is not available
- ❖ Proper composting systems are lacking.
- ❖ Green chemistry labs are needs to be introduced.

### **24. Green Campus Audit**

- ❖ Tree cover of the college with respect to the stakeholder strength is enough.
- ❖ Regular planting of trees in the campus are adequate.
- ❖ Display boards to all plants identified are lacking.
- ❖ Water uses for gardens are high.
- ❖ No arboretum is set up in the college campus.
- ❖ There is only very few fruit trees in the college to attract birds.
- ❖ Registry for flora and fauna on the campus is lacking.
- ❖ College needs to plant more herbal plants

### **25. Carbon Foot Print Audit**

- College has not yet taken any initiative for carbon accounting.
- Encourage students to use cycles.
- 591 liters of fossil fuel is burned every day for the functioning of the college. This is too high carbon emission
- A huge amount such as Rs. 42,595 per day is spent as the cost of fossil fuel by the stakeholders.
- Usage of 45 gas cylinders per month is very high.

## **26. Preparation of Action Plan**

Policies referring to college's management and approach's towards the use of resources need to be considered. The college should have a green policy/environmental policy for its sustainable development. The environmental policy formulated by the management of the college should be implemented meticulously. The college should have a policy on awareness raising or training programs (for ground staff or kitchen staff for example) and college also should have a procurement policy (the College's policy for purchasing materials).

## **27. Follow Up Action and Plans**

Green Audits are exercises which generate considerable quantities of valuable management information. The time and effort and cost involved in this exercise is often considerable and in order to be able to justify this expenditure, it is important to ensure that the findings and recommendations of the audit are considered at the correct level within the organization and that action plans and implementation programs result from the findings.

Audit follow up is part of the wider process of continuous improvement. Without follow-up, the audit becomes an isolated event which soon becomes forgotten in the pressures of organizational priorities and the passing of time.

## **28. Environmental Education**

The following environmental education program may be implemented in the college before the next green auditing:-

- ❖ Training programs in solid waste management, liquid waste management, setting up of medicinal plant nursery, water management, vegetable cultivation, paddy cultivation, tree planting, energy management, landscape management, pollution monitoring methods, and rain water harvesting methods.
- ❖ Increase the number of display boards on environmental awareness such as – save water, save electricity, no wastage of food/water, no smoking, switch off light and fan after use, plastic free campus etc.
- ❖ Activate the environmental clubs
- ❖ Set up model rainwater harvesting system, rainwater pits, vegetable garden, medicinal plant garden, paddy fields etc. for providing proper training to the students.
- ❖ Conduct exhibition of recyclable waste products
- ❖ Implement chemical treatment system for waste water from the laboratories.

## **29. Awareness on Carbon Generation**

- ❖ Students and Staff members may be made totally aware of pollution caused by use of vehicles.
- ❖ The awareness programs on carbon emission at individual as well as social level will help to avoid air and noise pollution in the campus due to vehicles.

### **30. Conclusion and Full List of Recommendations**

The green audit assists in the process of testing performance in the environmental arena and is fast becoming an indispensable aid to decision making in a college.

The green audit reports assist in the process of attaining an eco-friendly approach to the sustainable development of the college. Hope that the results presented in the green auditing report will serve as a guide for educating the college community on the existing environment related practices and resource usage at the college as well as spawn new activities and innovative practices. A few recommendations are added to curb the menace of waste management using eco-friendly and scientific techniques. This may lead to the prosperous future in context of Green Campus and thus sustainable environment and community development.

It has been shown frequently that the practical suggestions, alternatives, and observations that have resulted from audits have added positive value to the audited organisation. An outside view, perspective and opinion often helps staff who have been too close to problems or methods to see the value of alternative approaches. A green audit report is a very powerful and valuable communications tool to use when working with various stakeholders who need to be convinced that things are running smoothly and systems and procedures are coping with natural changes and modifications that occur.

### **31. Common Recommendations**

- ❖ Adopt an environmental policy for the college as in annexure D
- ❖ Establish a purchase policy for environmental friendly materials
- ❖ Conduct more seminars and group discussions on environmental education
- ❖ Students and staff can be permitted to solve local environmental problems
- ❖ Renovation of cooking system in the canteen to save gas
- ❖ Establish water, waste and energy management systems

### **32. Criteria Wise Recommendations**

#### **Water**

- Remove damaged taps and install sensitive taps is possible.
- Drip irrigation for gardens and vegetable cultivation can be initiated.
- Install Meters to monitor the water use
- Establish water treatment systems.
- Use waterless urinals
- Spray the water to the garden in the early morning of the day
- Use aerator in the taps to reduce the water consumption and wastage
- Use treated water for bus wash and other toilet use
- Conduct leak test at least once in two months
- Use water efficient garden techniques to reduce the water consumptions in garden
- Rain water harvesting system needs to be improved
- Awareness programs on water conservation to be conducted.
- Install display boards to control over exploitation of water.

### Energy

- Conventional Fans needs to be replaced with energy efficient BLDC Fans.
- Conduct more save energy awareness programs for students and staff.
- Try to install more solar panels to reduce the greenhouse gas emission
- Optimise the energy usage
- Automatic power on/off systems may be introduced.

### Waste

- Establish a functional bio gas plant.
- A model solid waste treatment system to be established.
- A model Vermi composting plant to be set up in the college campus.
- Maintain a plastic free campus.
- Avoid paper plates and cups for all functions in the college.

### Green Campus

- All trees in the campus should be named scientifically.
- Create more space for planting.
- Grow potted plants at both verandah and class rooms.
- Create automatic drip irrigation system during summer holidays.
- Not just celebrating environment day but making it a daily habit.
- Beautify the college building with indoor plants
- Providing funds to nature club for making campus more green
- Encouraging students not just through words, but through action for making the campus green
- Conducting competitions among departments for making students more interested in making the campus green.

## Carbon footprint

- Establish a system of car pooling among the staff to reduce the number of four wheelers coming to the college.
- Increase effective use of college bus services to the students and staff.
- Encourage students and staff to use cycles.
- Establish a more efficient cooking system to save gas.
- Discourage the students using two wheelers for their commutation.
- More use of generators every day should be discouraged.

### **33.Audit Report**

We have conducted the Environment audit at all important areas up to our maximum possible extend. We found some points in alternate energy use and waste management are needed attention. Overall performance of college is found satisfactory.

**For Sri Energy Solutions,**



**M.Rameshkumar**

**BEE Certified Energy Auditor**

## Annexure – A

### Details of the Program offered

#### ❖ U.G.Courses

- Automobile Engineering
- Artificial Intelligence & Data Science
- Civil Engineering
- Computer Science and Engineering
- Computer Science and Engineering (Cyber Security)
- Electronics and Communication Engineering
- Electrical and Electronics Engineering
- Information technology
- Mechanical Engineering

#### ❖ P.G.Course

- Master of Business Administration
- Master of Computer Application
- ME – Computer Science and Engineering
- ME – Applied Electronics
- ME – Power Electronics and Drives
- ME –Manufacturing Engineering

## Annexure – B

### Bus Routes

The college has operates several buses in the following route for the convenience of the students and staffs

Sl.No	Bus Route	Distance in Km
1	Tiruppur	132
2	Annur	128
3	Edappadi	126
4	Guruvarettiur	116
5	Perumanallur	114
6	Varattupallam	110
7	Kadampur	80
8	Chittar	106
9	Bhavanisagar	100
10	Kottakattupalayam	92
11	Komarapalayam	90
12	Kavilipalayam	104
13	Vellakovil	90
14	Bhavani	96
15	chennampatti	90
16	Govindampadi	150
17	Mettur	140
18	Modakuruchi	150
20	Nambiyur	70
21	Vellaiyampalayam	60

## Annexure – C

### Air Pollution Norms

AQI	Air Pollution Level	Health Implications	Cautionary Statement (for PM2.5)
0-50	Good	Air quality is considered satisfactory, and air pollution poses little or no risk	None
51-100	Moderate	Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people who are unusually sensitive to air pollution.	Active children and adults, and people with respiratory disease, such as asthma, should limit prolonged outdoor exertion.
101-150	Unhealthy for Sensitive Groups	Members of sensitive groups may experience health effects. The general public is not likely to be affected.	Active children and adults, and people with respiratory disease, such as asthma, should limit prolonged outdoor exertion.
151-200	Unhealthy	Everyone may begin to experience health effects; members of sensitive groups may experience more serious health effects	Active children and adults, and people with respiratory disease, such as asthma, should avoid prolonged outdoor exertion; everyone else, especially children, should limit prolonged outdoor exertion
201-300	Very Unhealthy	Health warnings of emergency conditions. The entire population is more likely to be affected.	Active children and adults, and people with respiratory disease, such as asthma, should avoid all outdoor exertion; everyone else, especially children, should limit outdoor exertion.
300+	Hazardous	Health alert: everyone may experience more serious health effects	Everyone should avoid all outdoor exertion

## Annexure – D

### Model Environment Policy

**J.K.K. Munirajah college of Technology** is committed to being environmentally aware, actively support programs that reduce our college's environmental impact and continually improve our environmental performance as an integral part of our business strategy and operating procedures.

We seek to understand the effects our business activities have on the environment by supporting initiatives such as:

- Reduction of material, water and energy consumption
- Waste minimization
- Recycling of all resources

We will encourage our students, suppliers and other stakeholders to do the same.

We recognize that we have a responsibility to the environment to meet or exceed legislative and regulatory requirements.

We will ensure that this policy and all procedures relating to it are understood, implemented and maintained by all company employees



**Principal**

**J.K.K.Munirajah College of Technology**

**(Autonomous)**

**T.N.Palayam, Gobi (Tk),**

**Erode (Dt) - 638 506**

**Annexure – E**



Center for Sustainability

## Future Support

Thanks for your co-operation to bring out this energy saving operation. We will give necessary support to achieve your energy saving at any time.

# THANK YOU

From,

**M/s.Sri Energy Solutions**

**51, S.K.Puthur Post,**

**Udumalpet, Coimbatore**

**Pin : 642 113**

**Mob : 90420 64932**

For Query : [srienergysolutions@gmail.com](mailto:srienergysolutions@gmail.com)



**Principal**

**J.K.K.Munirajah College of Technology  
(Autonomous)  
T.N.Palayam, Gobi (Tk),  
Erode (Dt) - 638 506**